	- 14 1					at .					
Work Orde March 30, 2010	er ID 57229 - Z 11:58:04 AM										Page 1
Revision ID: Item Name:	D3579-046 Shoulder Harness 3/30/10 Start Qty: 6.00 4/09/10 Req'd Qty: 6.00	/	Accept	Cust Item Customer	ID:			Setup	Start Stop	1.188/1181.81	
Approvals:	Process Plan:	Date: 10/3/30	Tooling:	1	Date:	-]	Run	Start		
	QC:	Date:	SPC (Y/N):		Date:				Stop		
Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reje Qty		eject umber	Insp. Stamp
Draw Nbr	Revision Nbr				•	<u> </u>					
D3579	Rev C			•							
Purchasing	PURCHASING Memo Issue P/O: supplier:S	choth Safty Products © Certfice	0.00 0.00 □P/N:5-01-2J(ate of conformaty is requ	0701□Possible uired			cX	_10	13(3	O	€ 12
110 Packaging Packaging	Memo	Damage & Mat'l Certs rtificate of conformity is attact	0.00 0.00 ned	·			cd	lol	<u>ति०</u> 8		(3)
120	QC5- Inspect part com	pleteness to step on W/O	0.00	ĺ							
	Memo		0.00 کراہ	4108			(19))			

Work Order ID 57229

March 30, 2010 11:58:04 AM



Page 2

Item ID:

D3579-046

Accept `



Setup Start

Stop

Stop



Revision ID:

Item Name: **Start Date:**

Shoulder Harness

3/30/10

Start Qty: 6.00

Req'd Qty: 6.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:_____

Date:

Tooling:

SPC (Y/N):

Date: Date:

Start Run



Sequence ID/ Work Center ID

Required Date: 4/09/10

130

Small Fab

Small Fab

Operation Description

Small Fab

Set Up/ **Run Hours**

0.00

0.00

Draw Number

Plan Draw Rev. Code

Accept Qty

Reject Qty

Reject Insp. Number

Stamp

Memo

Apply Decals as per Dwg 3579 Using 3M Marine Adhesive ☐ AR 5200 BATCH: 112+73

3M

140

QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

0.00

Enoloy/13

150

Packaging

Identify as per dwg & Stock Location: 29

0.00

Memo

Memo

0.00

Packaging

Work Order ID 57229

March 30, 2010 11:58:04 AM



Page 3

Item ID:

D3579-046

Accept



Setup Start



Revision ID:

Item Name:

Shoulder Harness

Start Date:

3/30/10

Start Qty: 6.00

Required Date: 4/09/10

Req'd Qty: 6.00



Cust Item ID:

Customer:

Number

Reference:

Approvals:

QC:

Process Plan: _____ Date:

Date:

Tooling:

SPC (Y/N):

Date:

Date:

Start Run

Stop

Stop



Sequence ID/ Work Center ID

160

QC

Quality Control

Operation Description

QC21- Final Inspection - Work Order Release

Memo

Set Up/ **Run Hours**

0.00

0.00

Draw Draw

Plan Code Rev.

Accept Qty

Reject Reject Qty

Insp. Number Stamp

Picklist Print

March 30, 2010 11:58:04 AM

Work Order ID: 57229

Parent Item:

D3579-046

Parent Item Name:

Shoulder Harness

Comments:

IPP Rev:A New Issue 07-04-27 JLM

IPP Rev:B Added Decals 07-07-06 JLM

Purchased

Start Date: 3/30/10

Required Date: 4/09/10

Start Qty: 6.00

Required Qty: 6.00

Component Item 1D/

Item Name D3569-3

Replacement Mfg/ Item ID Purch

Bin Item Manufactured No

No

Primary Location Last Location

Route Seq ID 110

Unit of Measure Each

Qty on Hand 23.0000

Loc Code

Remaining Qty To Pick Issued 6.0000

Date Issued

Status

Page 1

Decal

Warehouse Location

Main Warehouse

ST245A

55395 56385

130

Loc Qty

23 2 21

Each

0.0000 6:0000

Qty

5-01-2J0701

SHOULDER HARNESS RH

CZ1014103




DESIGN DRAWN BY		LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHEC	KED (()	APPROVED	DRAWING NO. REV. C D3579 SHEET 1 OF 4			
2475	7'	10	SHEET FOR 4			
DATE			TITLE SCALE:			
07.0	06.27		SHOULDER HARNESS NTS			
Α		07.01.12	NEW ISSUE			
В		07.06.01	CHG REEL FOR -045/-046/-047/-048			
С		07.06.27	ADD D3569 DECALS AND NOTE 6			

C\$10/3/30

W10:57229

SPECIFICATION CONTROL DRAWING



D3579-041 SHOULDER HARNESS (SHOWN) D3579-042 SHOULDER HARNESS (OPPOSITE)

D3579-041/-042 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING
2) PURCHASE INFO: P/N 5-02-9C5901 (D3579-041)

P/N 5-02-9C5901 (D3579-041) P/N 5-02-9C0901 (D3579-042)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

Copyright © 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSPA HAWKESBURY, ONTARIO	
CHECKED	APPROVED	DRAWING NO.	REV. C
41		D3579	SHEET 2 OF 4
DATE		TITLE	SCALE
07.06.27		SHOULDER HARNESS	NTS

SPECIFICATION CONTROL DRAWING



D3579-043 SHOULDER HARNESS (SHOWN) D3579-044 SHOULDER HARNESS (OPPOSITE)

D3579-043/-044 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO: P/N 5-02-9L5901 (D3579-043)

P/N 5-02-9L0901 (D3579-044)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.


- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

Copyright © 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROVED	DRAWING NO.	REV. C
9		D3579	SHEET 3 OF 4
DATE		TITLE	SCALE
07.06.27		SHOULDER HARNESS	NTS

SPECIFICATION CONTROL DRAWING



D3579-045 SHOULDER HARNESS (SHOWN) D3579-046 SHOULDER HARNESS (OPPOSITE

D3579-045/-046 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-01-2J5701 (D3579-045) P/N 5-01-2J0701 (D3579-046)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.


- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

Copyright © 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTARI	
CHECKED	APPROVED //	DRAWING NO.	REV. C
41		D3579	SHEET 4 OF 4
DATE		TITLE	SCALE
07.06.27		SHOULDER HARNESS	NTS

SPECIFICATION CONTROL DRAWING



D3579-047 SHOULDER HARNESS (SHOWN) D3579-048 SHOULDER HARNESS (OPPOSITE)

D3579-047/-048 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO: P/N 5-01-2M5701 (D3579-047)

P/N 5-01-2M0701 (03579-048)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

Copyright © 2007 by DART AEROSPACE LTD

Quality Control / Certification of Conformance

18519

BAE Systems Safety Products, Inc.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Bill To

DART Aerospace Ltd 1270 Aberdeen St Hawkesbury, ON K6A 1K7

Canada

Phone: 613-632-5200 Fax: 613-632-5246

Ship To

DART Aerospace Ltd 1270 Aberdeen St Hawkesbury, ON K6A 1K7

Canada

Order-

Line Description **Qty Certified** 10 DAR10004-1 5-01-2J5701RevA restraint,3ea pt,da40pax,lh,bolt-on,reel,601black,P/N D3579-045 DART AEROSPACE LTD, 613-632-3336 P/N

D3579-045

5-01-2J0701RevA restraint,3-DAR10004-2

pt,da40pax,rh,bolt-on,reel,601black,PND3579-

046

Dart Aerospace Ltd, 613-632-3336 P/N D3579-

DAR10004-3 Exp 45

Aircraft SN: N/A

Plating: N/A - Not Applicable

Plating P.O.:

Webbing: 601 Black

** Please ship on FedEx acct# 151793240 ** BAE Commercial Invoice, NAFTA Cert., AES

Supply C of C with shipment



Notes:

DAR10004

10/4/08 ×9

Quality Control / Certification of Conformance

18519

BAE SYSTEMS

BAE Systems Safety Products, Inc.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Certificate of Conformance

BAE Systems Safety Products Inc. hereby certifies that the item(s)/part(s) listed above has/have been manufactured from material/hardware using practices, methods, processes and manufacturing procedures set forth by applicable documentation, specification, drawings and customer requirements. We further certify that the item(s)/part(s) are manufactured in accordance with applicable drawings or specifications current on the date on which the order was placed. Test reports covering materials in these parts and indicating conformance with applicable specifications are on file and subject to examination.

Quality _____

Date 4/4/13

Date of Manufacture ON 10

The conditions and tests required for TSO approval of this article(s) are minimum performance standards. It is the responsibility of those desiring to install the article either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the Administrator.

BAE Systems Safety Products Inc. MATERIAL ACCEPTANCE TAG

Part Number:	5-01-2J0701RevA					
Serial Number: Date Mfg.: 04/10		Quantity:	12.0			
Part	restraint,3-pt.da40pax,rh,bolt-on,reel.601black,PND3579-046					
Description:		-				
P.O./W.O. #	DAR10004-2 Cust. PO#: (PO11564)					
Vendor/Shop:	SHOP: Sto					
			SSPC			
Inspector:	WILLIAMS		1 000 000			
Date:	4/7/10	Approva	al 012			

Solulo8 x9

	2.					
Authority/Country:	A THEFT AND THE A			,	3. Form T	Tracking Number:
FAA/UNITED STATES	AUTHORIZED F	RELEASF	CERTI	FICATE		
		1	BAE2010-0162			
4. Organization Name and Address:	,	AIRWORTHINESS	APPROVAL IAG	3		
DT 1662CE				1	5. Work O	Order/Contract/Invoice
6. Item: 7. PT 1662CE Description:	BAE Systems Safety Products, Inc. 1371	1 S.W.8th St. Unit #3	Pompano Beach F	A, 33069	Number:	DAR10004-2
1 Restraint,3-pt.,da40pax,rh,t		Eligibility:*	10. Quantity:	11. Serial/Batch Nun	mber: 1	12. Status/Work:
on,reel,601 black	3-01-23070 TREVA	N/A	12	Date Mfg.:04/10		NEW
13. Remarks:						
EXPORT TO CANADA	A		_			
TSO-C114	COMPANY OF THE PARTY OF THE PAR		6	× 1/		
	A THE RESIDENCE OF THE PROPERTY OF THE PROPERT		C	Diologo x	5	
	-	Service of the servic	Control of the Contro	•	•	
			المستقدية والمسترون هيد فالمكافئة فالمنافضة والمناس المتناها فيد المتناوية والمنافقة و	Agent of the state		
				Sand with the state of the stat	1	7
					Last 1	
ı						
14 0-48-4-4-11-48-4-1						
14. Certifies the items identified above	were manufactured in conformity to:	19: 14 CFF	R 43.9 Return to Ser	rvice	J-4ion engei	ified in Block 13
Approved design data and are in						August 1
Non amounted design data and	n a condition for safe operation.	Certifies th	at unless otherwise	e specified in block 13, the v	work identif	fied in Block 12
Non-approved design data speci	ified in Block 13.					
/).	/)	return to se	eguiations, part 4540	und in respect to that work,	, the items a	re approved for
16. Authorized Signature	16. Approval/Authorization No				and desired	
11/11/11/11	DMIR-511304-CE	o.: 20. Authorized S	ignature:		21. App	proval/Certificate No.:
Ma Macola L			_	Same De Contracto		
17 Name (Typed or Printed):	10 0 (11)				The same of the sa	***
Anthony B. LaPointe	18. Date (m/d/y); APR 7 2010	22. Name (Typed	l or Printed):		23. Date	m/d/vr
· · · · · · · · · · · · · · · · · · ·	AIR / AUIU			· · · · · · · · · · · · · · · · · · ·		(min 1).
						Sales Sa
To the second se	User/Iv	nstaller Responsi	hilities			
It is important to understand that the ex	existence of this document alone does not autor	matically constitute av	thority to install the	a northcomponent/assamble		
Where the user/installer performs work	k in accordance with the					
Block 1, it is essential that the user/insta	k in accordance with the national regulations of aller ensures that his/her airworthiness autho	of an airworthiness au	thority different the	in the airworthiness autho	rity of the c	ountry specified in
in Block1.	aller ensures that his/her airworthiness author	rity accepts parts/com	ponents/assemblies f	from the airworthiness auf	thority of th	e country specified
national regulations by the user/installe	constitute installation certification. In all case er before the aircraft may be flown.	es, aircraft maintenanc	e records must cont	rain an inetallation certific	4! !-auad	
national regulations by the user/installer	r before the aircraft may be flown.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	an an histaliation cei tilica	ition issued i	in accordance with the
EAA E 0120.2 (6.04)						